# Index
Modular storage system

UCI

Introducing Index

Index Storage is an adaptable modular storage system designed to adjust to any interior setting. Not only is Index able to accommodate a large amount of storage, it also acts as a functional divider between spaces. Whether Index is backed up against a wall and used in a traditional office setting or scattered strategically throughout a contemporary open plan space, Index was designed with flexibility as its key focus.

With the inclusion of planters, Index offers that biophilic feeling that businesses today are striving to incorporate within their space.

Utilising powder coated steel for long lasting durability, strong wooden laminate shelving, PET pinboard panels and multiple heights and widths, not only are the colour combinations seemingly endless but so too is its level of configurability.

AUSTRALIAN MADE AND OWNED

bsi. ISO 9001 Quality Management — FS 520627

bsi. ISO 14001 Environmental Management — FS 520251

bsi. ISO 45001 Occupational Health and Safety Management — OHS 716586

GOOD ENVIRONMENTAL CHOICE AUSTRALIA — GECA CERTIFIED

Planter

Hinged Doors

Acoustic Pinboard

PET or Laminate Infills

Laminate Shelving

Adjustable Levelling Glides

Configurations

Standard 500W Modules

Planter 500W Modules

Standard 900W Modules

Planter 900W Modules

Standard Module Options

	900W	500W	450D
1H - 580mm	•	•	•
2H - 1055mm	•	•	•
3H - 1530mm	•	•	•
4H - 2005mm	•		•

Planter Module Options

	900W	500W	450D
1H - 745mm	•	•	•
2H - 1220mm	•	•	•
3H - 1695mm	•	•	•

* 4H at 500W not available due to possible tipping

Index Use Cases

Traditional

If storage is the key focus, Index allows a fully enclosed scenario, in which doors can be added to the entire face allowing concealed storage with a minimalist / clean approach.

Key Uses:
- Storage
- Single Side
- Archiving

Divider

Perfect as a divider between runs of workstations, not only is a scenario like this able to provide privacy between workstations but it can also act as a space to collaborate utilising PET pin boards and accommodate storage on both the front and rear.

Key Uses:
- Workstation Divider
- Privacy
- Dual Side Access
- Storage

Agile

With collaboration in mind, Index can be extremely agile. Scenarios like this are perfect to break up the hustle and bustle of a modern open plan office or placed in a breakout space to entice collaboration and group work.

Key Uses:
- Collaboration
- Open Plan
- Breakout Space

Accent

Sometimes you just need that statement or accent piece, something with a pop of colour or a space to nurture greenery and promote fun.

Key Uses:
- Statement Piece
- Greenery
- Colour

Material & Finish Options
25mm Laminate Finishes

|					
Natural White 200	Black Matt	Oyster Grey Matt	Charcoal Flint	Moroccan Clay Flint	Olivine Flint
Spinifix Flint					
Raw Birchply Natural	Classic Oak Natural	Seasoned Oak Natural	Elegant Oak Natural	Sublime Teak Natural	Natural Walnut Natural

24mm Acoustic PET Finishes

UCI HOUSE PET

Light grey | Dark Grey

WOVEN IMAGE - ECHOPANEL - CATEGORY 1

442 - Grey | 500 - Off White | 542 - Black | 550 - Onyx

WOVEN IMAGE - ECHOPANEL - CATEGORY 2

101 - Frost | 325 - Viridian | 338 - Jade | 402 - Pebble | 454 - Mushroom | 468 - Vanilla

487 - Blush | 633 - Pacific | 908 - Cream

WOVEN IMAGE - ECHOPANEL - CATEGORY 3

124 - Ochre | 167 - Cinnamon | 269 - Wine | 274 - Orchid | 330 - Ivy | 365 - Navy | 447 - Slate | 580 - Sage

Index Specification Summary

All Index storage systems come with a counterweight that is attached to the base shelf panel. 1 counterweight for 500mmW shelving and 2 counterweights for 900mmW shelving. Each counterweight is approx. 10kg

This product can be accessed from both sides, if a door is on one side the opposite side will have a solid panel.

Index Frame
The frame is manufactured using 25x25 steel square hollow section and is a CKD system.

Infills, doors and shelves
All Index storage systems come with horizontal shelving panels by default as this provides structural stability.

All infills, doors and shelves that are specified in wood grain will have the grain in a horizontal direction.

Laminate panels are 25mm thick.

PET panels are 24mm thick and come in any standard in house PET or Echo Panel 24mm colours.

Features
Planter - 140H x 170D x 380W

Hinged Doors with a soft close mechanism and door stop

Acoustic pinboard can span entire rear face (Pin icon optional)

PET or Laminate infill option on rear and sides

Adjustable levelling glides with 25mm adjustment

Material & Finishes
- UCI 25mm laminate options

PET Acoustic Finishes
- UCI House PET
- Woven Image - Echo Panel - Category 1, 2 and 3

Product Lifecycle:
UCI is committed to its impact on the environment. Index Storage is manufactured by UCI Manufacturing and has been designed for disassembly enabling reuse / reconfiguration.

With the use of basic hand tools Index Storage can be broken down into its raw material elements providing the opportunity to recycle 95% of materials such as aluminium, steel, PET and plastic.

Note: Timber Laminates and client specified materials are excluded from this statement

RECYCLABLE

Adelaide
81 Franklin Street, Adelaide
SA 5000, Australia
t +61 (08) 8423 6330
e adelaide@uci.com.au

Brisbane
3 Primrose Street, Bowen Hills
QLD 4006, Australia
t +61 (07) 3854 1600
f +61 (08) 3252 3512
e brisbane@uci.com.au

Canberra
Unit 14 / 71 Leichardt Street, Kingston
ACT 2604, Australia
t +61 (02) 6239 1866
f +61 (02) 6239 1966
e canberra@uci.com.au

Darwin
81 Franklin Street, Adelaide
SA 5000, Australia
t +61 (08) 8423 6330
e darwin@uci.com.au

Hobart
14-16 Tasma Street, Hobart
TAS 7000, Australia
t +61 (03) 6231 3077
f +61 (03) 6231 3391
e hobart@uci.com.au

Melbourne
Unit 3/ 62 Fallon Street Brunswick
VIC 3056, Australia
t +61 (03) 8379 0200
f +61 (08) 8379 0299
e melbourne@uci.com.au

Perth
Level 1, 321 Murray Street, Perth
WA 6000, Australia
t +61 (08) 9486 8777
f +61 (08) 9486 8766
e perth@uci.com.au

Sydney
Level 7, 222 Clarence Street, Sydney
NSW 2000, Australia
t +61 (02) 9212 2600
f +61 (02) 9212 2677
e sydney@uci.com.au

Ulverstone
111 Eastland Drive, Ulverstone
TAS 7315, Australia
t +61 (03) 6425 1399
f +61 (03) 6425 5097
e ulverstone@uci.com.au